JOURNAL OF CHROMATOGRAPHY A

VOL. 762, NOS. 1 + 2 21 FEBRUARY 1997

CONTENTS

(Abstracts/Contents Lists published in Analytical Abstracts, Biochemical Abstracts, Biological Abstracts, Chemical Abstracts, Chemical Titles, Chromatography Abstracts, Current Awareness in Biological Sciences (CABS), Current Contents/Life Sciences, Current Contents/Physical, Chemical & Earth Sciences, Deep-Sea Research/Part B: Oceanographic Literature Review, Excerpta Medica, Index Medicus, Mass Spectrometry Bulletin, PASCAL-CNRS, Referativnyi Zhurnal, Research Alert and Science Citation Index)

20TH INTERNATIONAL SYMPOSIUM ON HIGH PERFORMANCE LIQUID PHASE SEPARATIONS AND RELATED TECHNIQUES, SAN FRANCISCO, CA, USA, 16–21 JUNE 1996, PART I

Foreword
by B. Hancock (Palo Alto, CA, USA) 1

COLUMN LIQUID CHROMATOGRAPHY

Theory

Fitting competitive adsorption isotherms to the experimental distribution data in reversed-phase systems
by P. Jandera and D. Komers (Pardubice, Czech Republic) 3

Description and prediction of retention in normal-phase high-performance liquid chromatography with binary and ternary mobile phases
by P. Jandera, M. Kučerová and J. Holíková (Pardubice, Czech Republic) 15

Relationship between stationary and mobile phase composition and its influence on retention factors of aromatic hydrocarbons in reversed-phase high-performance liquid chromatography
by R. Nasuto, L. Kwietniewski and J.K. Różyło (Lublin, Poland) 27

Molar enthalpy and molar volume of methylene and benzene homologues in reversed-phase liquid chromatography
by V.L. McGuffin and S.-H. Chen (East Lansing, MI, USA) 35

Gradient chromatofocusing high-performance liquid chromatography. II. Theoretical aspects
by Y. Liu and D.J. Anderson (Cleveland, OH, USA) 47

Prediction of pK_a values of phenolic and nitrogen-containing compounds by computational chemical analysis compared to those measured by liquid chromatography
by T. Hanai (Kyoto, Japan), K. Koizumi and T. Kinoshita (Tokyo, Japan) and R. Arora and F. Ahmed (Torrance, CA, USA) . 55

General equation for calculating the dissociation constants of polyprotic acids and bases from measured retention factors in high-performance liquid chromatography
by I. Jano, J.E. Hardcastle, K. Zhao and R. Vermillion-Salsbury (Denton, TX, USA) 63

Linearity and the limitations of least squares calibration
by M. Mulholland and D.B. Hibbert (Sydney, Australia) 73

Sorbents

Consolidation of particle beds and packing of chromatographic columns (Review)
by G. Guiochon, T. Farkas, H. Guan-Sajonz, J.-H. Koh, M. Sarker, B.J. Stanley and T. Yun (Knoxville and Oak Ridge, TN, USA) 83

Development of a novel octadecyl-bonded silica column and evaluation of its reliability in chromatographic analysis
by H. Tanaka, M. Kamada, M. Nyudo and M. Ohira (Saitama, Japan) 89

Stability of silica-based, endcapped columns with pH 7 and 11 mobile phases for reversed-phase high-performance liquid chromatography
by J.J. Kirkland, J.W. Henderson and J.J. DeStefano (Newport, DE, USA) and M.A. van Straten and H.A. Claessens (Eindhoven, Netherlands) 97

Characterisation of silica-based heparin affinity sorbents from equilibrium binding studies on plasma fractions containing thrombin
by M. Björklund and M.T.W. Hearn (Clayton, Australia) 113

Effect of skeleton size on the performance of octadecylsilylated continuous porous silica columns in reversed-phase liquid chromatography
by H. Minakuchi, K. Nakanishi, N. Soga, N. Ishizuka and N. Tanaka (Kyoto, Japan) 135

Selectivity of alkylamide bonded-phases with respect to organic acids under reversed-phase conditions
by T. Czajkowska (Princeton, NJ, USA) and M. Jaroniec (Kent, OH, USA) 147

Use of fluorine-containing stationary phases for the separation of an alkyl bromide from its hydrocarbon analog by high-performance liquid chromatography
by S. Hendershot, D. Koharski and P. McNamara (Kenilworth, NJ, USA) 159

Techniques

Choosing sample volume to achieve maximum detection sensitivity and resolution with high-performance liquid chromatography columns of 1.0, 2.1 and 4.6 mm I.D
by S.R. Bakalyar, C. Phipps, B. Spruce and K. Olsen (Cotati, CA, USA) 167

Impinger sampling coupled to high-performance liquid chromatography by a modified autoinjector interface
by H. Schlitt (Ispra, Italy) 187

Liquid chromatography–mass spectrometry with on-line solid-phase extraction by a restricted-access C_{18} precolumn for direct plasma and urine injection
by R.A.M. van der Hoeven, A.J.P. Hofte, M. Frenay, H. Irth, U.R. Tjaden and J. van der Greef (Leiden, Netherlands), A. Rudolphi and K.-S. Boos (Munich, Germany) and G. Marko Varga and L.E. Edholm (Lund, Sweden) 193

Supercritical fluid extraction and reversed-phase liquid chromatography methods for vitamin A and β-carotene. Heterogeneous distribution of vitamin A in the liver
by B.J. Burri, T.R. Neidlinger, A. O. Lo, C. Kwan and M.R. Wong (San Francisco, CA, USA) 201

Gradient chromatofocusing high-performance liquid chromatography. I. Practical aspects
by Y. Liu and D.J. Anderson (Cleveland, OH, USA) 207

Refractive-index detection by interferometric backscatter in packed-capillary high-performance liquid chromatography
by C.K. Kenmore (Lubbock, TX, USA), S.R. Erskine (Freeport, TX, USA) and D.J. Bornhop (Lubbock, TX, USA) 219

Investigation of response factor ruggedness for the determination of drug impurities using high-performance liquid chromatography with ultraviolet detection
by B.A. Olsen and M.D. Argentine (Lafayette, IN, USA) 227

Pharmacological applications

On-line column-switching high-performance liquid chromatography analysis of cardiovascular drugs in serum with automated sample clean-up and zone-cutting technique to perform chiral separation
by F. Mangani, G. Luck, C. Fraudeau and E. Vérette (Villiers-le-Bel, France) 235

Assay of bropirimine in rat plasma by means of robotic solid-phase extraction and high-performance liquid chromatography
by C.-Y.L. Hsu and R.R. Walters (Kalamazoo, MI, USA) 243

Screening and identification of drugs in human hair by high-performance liquid chromatography–photodiode-array UV detection and gas chromatography–mass spectrometry after solid-phase extraction. A powerful tool in forensic medicine
by Y. Gaillard and G. Pépin (Paris, France) 251

Measurement and pharmacokinetic analysis of buspirone by means of brain microdialysis coupled to high-performance liquid chromatography with electrochemical detection
by T.H. Tsai and C.F. Chen (Taipei, Taiwan) 269

Detection of clenbuterol in bovine retinal tissue by high-performance liquid chromatography with electrochemical detection
by L.A. Lin, J.A. Tomlinson and R.D. Satzger (Cincinnati, OH, USA) 275

Analytical method development for the simultaneous quantitation of dexmedetomidine and three potential metabolites in plasma
by Y.-H. Hui, K.C. Marsh and S. Menacherry (Abbott Park, IL, USA) 281

Analysis of 2-difluoromethyl-DL-ornithine in human plasma, cerebrospinal fluid and urine by cation-exchange high-performance liquid chromatography
by N.D. Huebert and J.-J. Schwartz (Strasbourg, France) and K.D. Haegele (Cincinnati, OH, USA) 293

Quantitation of an orally available thrombin inhibitor in rat, monkey and human plasma and in human urine by high-performance liquid chromatography and fluorescent post-column derivatization of arginine
by C.B. Mendoza, S.A. Dixon, M.M. Lods, M.G. Ma, K.T. Nguyen, R.F. Nutt, H.S. Tran and T.G. Nolan (San Diego, CA, USA) 299

Determination of an in vivo metabolite of a human immunodeficiency virus protease inhibitor in human plasma by high-performance liquid chromatography with tandem mass spectrometry
by E. Woolf, H.M. Haddix and B. Matuszewski (West Point, PA, USA) 311

Urinary excretion of deprenyl metabolites
by J. Lengyel, K. Magyar and I. Hollósi (Budapest, Hungary), T. Bartók and M. Báthori (Szeged, Hungary) and H. Kalász and S. Fürst (Budapest, Hungary) 321

High-performance liquid chromatographic separation of β-methyl ADC-13 enolphosphate diphenyl ester and its α-methyl diastereomer
by T. Wang (Rahway, NJ, USA) 327

The table of contents of *Journal of Chromatography* is included in ESTOC – Elsevier Science Tables of Contents service – which can be accessed on the World Wide Web at the following URL addresses:
http://www.elsevier.nl/locate/estoc or http://www.elsevier.com/locate/estoc